



**IRAN'S FIRST AND LEADING PRODUCER  
OF WEIGHING &  
MEASURING INSTRUMENTS**

الصاعد العالمية للتجارة  
**AL SAED GLOBAL TRADING**



**RoHS**





## Table of Contents

About Us	
Industrial Weighbridges	1
Stainless Steel Weighbridges	6
Platform Weighbridges	13
Floor Scales	17
Livestock Scales	22
Wheelbarrow Scales	26
Medical Scales	30
Customized Scales	37
Features & Capabilities	43
Product Table	44







Proudly Serving All Cities Across Iran Through Our Extensive Dealer Network

## Contact Us

To view and purchase our products, please visit the Baskool Nikoo website at **[www.baskoolnikoo.com](http://www.baskoolnikoo.com)** and choose the weighing scale that best suits your needs. If you need assistance in selecting the right product, simply contact our sales experts via the phone numbers provided on the Contact page or elsewhere on the website.



## About Us – Baskool Nikoo

With over 78 years of experience and a distinguished track record, Baskool Nikoo is proud to be the first manufacturer of measurement and weighing instruments in Iran, and a pioneer in producing both mechanical and digital weighbridges.

Since the beginning of its operations on June 1946, 23, the company has offered a wide range of weighbridges with capacities from 100 kilograms to 10 tons, and holds the Iran National Standard certification. Over the decades, Baskool Nikoo has become a symbol of quality and trust in the industry.

Our continuous goal has been to provide high-quality products that meet customer expectations, while playing our part—however modest—in promoting the reputation of Iranian products both domestically and internationally.

## Our Products

We are proud to offer a wide range of products, including platform scales, industrial scales, stainless steel scales, wheel-mounted scales, livestock scales, and medical scales. All of our products are meticulously designed and crafted with high precision to meet the diverse needs of our customers.

## Features and Special Services

- 18-Month Warranty on all weighbridges
- Lifetime After-Sales Service
- Wide Range of Spare Parts available, including load cells, displays, junction boxes, batteries, and more.

## Standards and Achievements

Our products carry the Iran National Standard certification, and the electronic components used in our products are OIML certified, reflecting our commitment to quality and innovation.

We are proud to be among the exporters to Oman and Iraq, with our products being recognized for their high quality in the Persian Gulf region.





# Industrial Weighbridge

## 150 kg Weighing Scale

### Product Specifications :

- Maximum Capacity: 150 kg
- Minimum Weight: 1 kg
- Accuracy: 50 g
- Weighing Platform Dimensions: 50 × 45 cm
- Column Height: 60 cm
- Weight (Fixed-Base Model): 32 kg
- Weight (Wheel-Mounted Model): 37 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Available Models: Fixed-base and wheel-mounted
- Finish: Durable powder-coated body
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation

(101)EMIT



(101)EMIR



# Industrial Weighbridge

## 250 kg Weighing Scale



### Product Specifications :


- Maximum Capacity: 250 kg
- Minimum Weight: 1 kg
- Accuracy: 50 g
- Weighing Platform Dimensions: 55 × 55 cm
- Column Height: 70 cm
- Weight (Fixed-Base Model): 42 kg
- Weight (Wheel-Mounted Model): 47 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Available Models: Fixed-base and wheel-mounted
- Finish: Durable powder-coated body
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation





# Industrial Weighbridge

## 350 kg Weighing Scale

### Product Specifications :

- Maximum Capacity: 350 kg
- Minimum Weight: 1 kg
- Accuracy: 50 g
- Weighing Platform Dimensions: 55 × 70 cm
- Column Height: 80 cm
- Weight (Fixed-Base Model): 49 kg
- Weight (Wheel-Mounted Model): 55 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Available Models: Fixed-base and wheel-mounted
- Finish: Durable powder-coated body
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation



(301)EMIT



(301)EMIR



# Industrial Weighbridge

## 550 kg Weighing Scale



### Product Specifications :


- Maximum Capacity: 550 kg
- Minimum Weight: 2 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 70 × 70 cm
- Column Height: 80 cm
- Weight (Fixed-Base Model): 65 kg
- Weight (Wheel-Mounted Model): 80 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Available Models: Fixed-base and wheel-mounted
- Finish: Durable powder-coated body
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation





# Industrial Weighbridge

## 750 kg Weighing Scale

### Product Specifications :

- Maximum Capacity: 750 kg
- Minimum Weight: 2 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 85 × 75 cm
- Column Height: 75 cm
- Weight (Fixed-Base Model): 74 kg
- Weight (Wheel-Mounted Model): 97 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Available Models: Fixed-base and wheel-mounted
- Finish: Durable powder-coated body
- Warranty: 18 months
- After-Sales Service: Lifetime support
- Display Protection Box Included

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation

(701)EMIT



(701)EMIR



# Steel Weighbridge

## 70 kg all-steel scale | (70)ESSIT



### Product Specifications :


- Maximum Capacity: 70 kg
- Minimum Weight: 40 g or 100 g (depending on model)
- Accuracy: 2 g or 5 g
- Weighing Platform Dimensions: 40 × 50 cm
- Column Height: 45 cm
- Weight (Fixed-Base Model): 20 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Model Type: Fixed-base
- After-Sales Service: Lifetime support

### Capabilities :

- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Display Protection Box and Reporting Functionality
- POS Integration (Asan Pardakht card reader compatible)
- 70 Direct Memory Slots and 500 Indirect Memory Slots
- Line Barcode Printing on invoice





## 300 kg Stainless Steel Platform Scale

### Product Specifications :

- Maximum Capacity: 300 kg
- Minimum Weight: 1 kg
- Accuracy: 50 g
- Weighing Platform Dimensions: 50 × 50 cm
- Column Height: 80 cm
- Weight (Fixed-Base Model): 27 kg
- Weight (Wheel-Mounted Model): 32 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Available Models: Fixed-base and wheel-mounted
- Finish: Durable powder-coated body
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation



## Steel Weighbridge

(301)ESHIT



(301)ESHIR



# Steel Weighbridge

## 500 kg Stainless Steel Platform Scale



(501)ESHIT



(501)ESHIR

### Product Specifications :


- Maximum Capacity: 500 kg
- Minimum Weight: 2 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 75 × 75 cm
- Column Height: 95 cm
- Weight (Fixed-Base Model): 49 kg
- Weight (Wheel-Mounted Model): 54 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Model Types: Fixed-base and wheel-mounted
- Finish: Durable powder-coated body
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation





## 100 kg Full Stainless Steel Scale

### Product Specifications :


- Maximum Capacity: 150 kg
- Minimum Weight: 1 kg
- Accuracy: 50 g
- Weighing Platform Dimensions: 30 × 40 cm
- Column Height: 47 cm
- Weight (Fixed-Base Model): 13 kg
- Weight (Wheel-Mounted Model): 18 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Model Types: Fixed-base and wheel-mounted
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation



## Steel Weighbridge

(101)ESSIT



(101)ESSIR



# Steel Weighbridge

## 300 kg Full Stainless Steel Scale

(301)ESSIT



(301)ESSIR



### Product Specifications :


- Maximum Capacity: 300 kg
- Minimum Weight: 1 kg
- Accuracy: 50 g
- Weighing Platform Dimensions: 50 × 40 cm
- Column Height: 47 cm
- Weight (Fixed-Base Model): 14 kg
- Weight (Wheel-Mounted Model): 19 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Model Types: Fixed-base and wheel-mounted
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation



# Steel Weighbridge

## 500 kg Full Stainless Steel Scale

### Product Specifications :

- Maximum Capacity: 500 kg
- Minimum Weight: 2 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 70 × 70 cm
- Column Height: 75 cm
- Weight (Fixed-Base Model): 57 kg
- Weight (Wheel-Mounted Model): 71 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Model Types: Fixed-base and wheel-mounted
- Warranty: 18 months
- After-Sales Service: Lifetime support


### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation

(501)ESSIT



(501)ESSIR





# Steel Weighbridge

## Full Stainless Steel Platform Scale | (3001)ESSP4L+ET



### Product Specifications :


- Capacity: 5000 – 3000 kg
- Accuracy: 200 g – 500 g
- Weighing Platform Dimensions:  
100 × 100 cm  
125 × 125 cm  
150 × 150 cm
- Minimum Weight: 4 kg – 10 kg
- Weight (Fixed-Base Model): 55 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display and Calculator-Equipped Display
- Wireless Secondary Display
- Optional Serial Port for computer connectivity
- Optional Display Protection Box Installation



# Field Weighbridge

## 1600 kg Field Scale | (1001)EMFR-S

### Product Specifications :

- Maximum Capacity: 1600 kg
- Minimum Capacity: 4 kg
- Accuracy: 200 g
- Weighing Platform Dimensions: 105 × 110 cm (115 kg)
- Column Height: 75 cm
- Total Weight: 185 kg

### Features :

- Operating temperature: -10°C to +40°C
- Operates with 220V / 60Hz power supply and rechargeable battery
- Mobile (equipped with wheels)
- Durable powder-coated finish
- 18-month warranty
- Lifetime after-sales service

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Option to Add Serial Port for Computer Connection



# Field Weighbridge

## 1600 kg Field Scale | (1001)EMFR-M



### Product Specifications :


- Maximum capacity: 1600 kg
- Minimum capacity: 4 kg
- Accuracy: 200 g
- Platform dimensions:
  - 105 × 125 cm (204 kg)
  - 125 × 125 cm (222 kg)
- Column height: 75 cm

### Features :

- Operating temperature: -10°C to +40°C
- Operates with 220V / 60Hz power supply and rechargeable battery
- Available in wheeled and stand-mounted versions
- Durable powder-coated finish
- 18-month warranty
- Lifetime after-sales support

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Option to Add Serial Port for Computer Connection





# Field Weighbridge

## 2500 kg Field Scale | (2001)EMFR4L

### Product Specifications :

- Maximum Capacity: 2500 kg
- Minimum Capacity: 4 kg
- Accuracy: 200 g
- Weighing Platform Dimensions: 125 × 125 cm
- Column Height: 75 cm
- Device Weight: 245 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Operates with 220V / 60Hz power supply and rechargeable battery
- Equipped with wheels and base stand
- Durable powder-coated finish
- Four load cells
- 18-month warranty
- Lifetime after-sales service

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Option to Add Serial Port for Computer Connection



# Field Weighbridge

## 3500 kg Field Scale | (3001)EMFR4L



### Product Specifications :


- Maximum Capacity: 3500 kg
- Minimum Capacity: 10 kg
- Accuracy: 500 g
- Weighing Platform Dimensions: 150 × 150 cm
- Column Height: 75 cm
- Device Weight: 261 kg

### Features :

- Operating Temperature: -10°C to 40°C
- Powered by 220V / 60Hz electricity and rechargeable battery
- Equipped with wheels
- Four load cells
- 18-month warranty
- Durable powder-coated finish
- Lifetime after-sales service

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Option to Add Serial Port for Computer Connection



# Platform Weighbridge

## 1600 kg Platform Scale | (1001)EMPT+ET

### Product Specifications :

- Maximum Weight: 1600 kg
- Minimum Weight: 4 kg
- Accuracy: 200 g
- Platform Dimensions:  
105 \* 110 cm (Weight: 124 kg)  
105 \* 125 cm (Weight: 134 kg)  
125 \* 125 cm (Weight: 152 kg)

### Features :

- Operating Temperature: -10°C to 40°C
- Operates with 220V / 60Hz electricity and rechargeable battery
- With base stand
- Single load cell
- Resistant powder-coated finish
- 18-month warranty
- Lifetime after-sales service

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Available with Wall-Mounted or Indicator Stand
- Option to Add Serial Port for Computer Connection
- Ability to Install Display Protector Box





# Platform Weighbridge

## 3000 kg Platform Scale | (3001)EMP4L+ET



### Product Specifications :


- Maximum Weight: 3000 kg
- Minimum Weight: 4 kg - 10 kg
- Accuracy: 200 g - 500 g
- Platform Dimensions:  
125 x 125 cm (Weight: 88 kg)  
150 x 150 cm (Weight: 125 kg)

### Features :

- Operating Temperature: -10°C to 40°C
- Power Supply: 220V / 60Hz
- with rechargeable battery
- With stand
- Four load cells
- Durable powder-coated finish
- 18-month warranty
- Lifetime after-sales service

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Available with Wall-Mounted or Indicator Stand
- Option to Add Serial Port for Computer Connection
- Ability to Install Display Protector Box



# Platform Weighbridge

## 3000 kg Platform Scale | (3001)EMP4L+ET

### Product Specifications :


- Maximum Weight: 5000-3000 kg
- Minimum Weight: 4 kg - 10 kg
- Accuracy: 200 g - 500 g
- Platform Dimensions: 100 \* 200 cm (Weight: 117 kg)

### Features :

- Operating Temperature: -10°C to 40°C
- Powered by 220V / 60Hz electricity and rechargeable battery
- Base-mounted
- Four Load Cells
- Durable powder-coated finish
- 18-month warranty
- Lifetime after-sales service

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Available with Wall-Mounted or Indicator Stand
- Option to Add Serial Port for Computer Connection
- Ability to Install Display Protector Box



# Platform Weighbridge

## 5-Ton Floor Scale | (5001)EMP4L+ET

### Product Specifications :


- Maximum Capacity: 5000 kg
- Minimum Capacity: 10 kg
- Accuracy (Resolution): 500 g
- Weighing Platform Dimensions: 150 × 150 cm
- Device Weight: 118 kg

### Features :

- Operating Temperature Range: -10°C to +40°C
- Power Supply: Operates on 220V / 60Hz AC power and rechargeable battery
- Structure: Floor-mounted (stationary) design
- Load Cells: Equipped with four load cells for high accuracy and stability
- Finish: Durable powder-coated (electrostatic) body for long-lasting performance
- Warranty: 18-month warranty

### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display
- Available with Wall-Mounted or Indicator Stand
- Option to Add Serial Port for Computer Connection
- Ability to Install Display Protector Box



# Platform Weighbridge


## 10-Ton Floor Scale | (10001)EMP4L+ET

### Product Specifications :

- Maximum Capacity: 10,000 kg
- Minimum Capacity: 40 kg
- Accuracy (Graduation): 2,000 g
- Platform Dimensions: 200 × 200 cm
- Device Weight: 420 kg

### Features :

- Operating Temperature Range: -10°C to +40°C
- Power Supply: 220V / 60Hz AC and rechargeable battery
- Mounting: Floor-mounted (with base)
- Load Cells: Equipped with four load cells
- Finish: Durable powder-coated steel construction
- Warranty: 18-month warranty
- After-Sales Service: Lifetime support



### Capabilities :

- Printer Display, Calculator Display
- Wireless Second Display, Option to Install Full and Empty Display
- Available with Wall-Mounted or Indicator Stand
- Option to Add Serial Port for Computer Connection
- Ability to Install Display Protector Box





# Livestock Weighbridge

## 3-Ton Floor Scale | EMACT4L



### Product Specifications :


- Maximum Capacity: 3000–1600 kg
- Minimum Capacity: 10–4 kg
- Accuracy: 200 g – 500 g
- Weighing Platform Dimensions:
  - 100 × 200 cm (Weight: 260 kg)
  - 150 × 150 cm (Weight: 290 kg)
- Cage Height: 140 cm (Fits within 200 × 100 cm footprint)

### Features :

- Operating temperature range: -10°C to +40°C
- Powered by 220V / 60Hz electricity and rechargeable battery
- Equipped with a sturdy stand
- Four load cells for accurate weight distribution
- Fitted with two access doors (entry and exit) and a neck lock hook to restrain animal movement
- Durable powder-coated scale surface Anti-slip checkered steel plate
- 18-month warranty
- Lifetime after-sales service

### Capabilities :

- Display Options: Printer-integrated display, calculator-type display, and wireless secondary display
- Mounting Options: Available with wall-mount bracket or indicator stand
- Optional serial port for computer integration



# Livestock Weighbridge

## 750 kg Scale

### Product Specifications :

- Maximum Capacity: 750 kg
- Minimum Capacity: 4 kg
- Accuracy: 200 g
- Platform Dimensions: 75 × 85 cm
- Column Height: 75 cm
- Cage Height: 60 cm
- Net Weight:  
With stand: 96 kg  
With wheels: 119 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: 220V / 60Hz and rechargeable battery
- Structure: Available in wheeled or stationary versions
- Enclosure: Equipped with an animal cage
- Access Control: Includes door and locking mechanism
- Finish: Durable powder-coated paint
- Warranty: 18-month warranty
- After-Sales Service: Lifetime support

### Capabilities:

- Printer-integrated display and calculator-style indicator
- Wireless secondary display
- Optional serial port for computer connectivity

(701)EMACTR



(701)EMACT



# Livestock Weighbridge

## 350 kg Scale | EMACT



### Product Specifications :


- Maximum Weight: 350 kg
- Minimum Weight: 2 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 55 \* 70 cm
- Column Height: 80 cm
- Device Weight: 67 kg

### Features :

- Operating Temperature: From -10°C to 40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Design: Base-mounted with wheels
- Includes: Cage
- Coating: Durable powder-coated finish
- Additional Features: Equipped with door and lock
- Warranty: 18-month warranty
- After-Sales Service: Lifetime after-sales support

### Capabilities :

- Built-in printer display and calculator-style indicator
- Wireless secondary display
- Optional caster wheels installation
- Serial port add-on available for computer connectivity



# Livestock Weighbridge

## Carcass Weighing Scale | (1001)EMAR

### Product Specifications :

- Maximum Weight: 1600 kg
- Minimum Weight: 4 kg
- Accuracy: 200 grams
- Weighing Platform Dimensions: 110 x 105 cm
- Device Weight: 200 kg
- Height: 120 cm

### Features :

- Operating Temperature: From -10°C to 40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Available in wheeled
- Scale Covering: Durable
- oven-baked paint
- Warranty: 18 months
- After-Sales Service: Lifetime

### Capabilities :

- Printer-equipped display
- Wireless secondary display
- Calculator-style indicator
- Optional serial port for PC connectivity





# Livestock Weighbridge

## Wheelbarrow Livestock Scale | EMAC+WB



### Product Specifications :


- Maximum Weight: 600 kg
- Minimum Weight: 4 kg
- Accuracy: 200 grams
- Weighing Platform Dimensions: 100\*60 cm
- Column Height: 90 cm
- Device Weight: 110 kg
- Cage Height: 130 cm

### Features :

- Operating Temperature Range: -10°C to +40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Hidden Wheels for easy mobility
- Durable Powder-Coated Finish
- Equipped with Entry and Exit Doors for livestock
- 18-Month Warranty
- Lifetime After-Sales Service

### Capabilities :

- Printer Display
- Calculator Display
- Second Wireless Display
- Option for Serial Port Addition (for computer connection)
- Wall-Mountable Option



# Wheelbarrow Weighbridge

## Single-Wheel Wheelbarrow Scale | (401)EMAWB

### Product Specifications :

- Maximum Weight: 400 kg
- Minimum Weight: 4 kg
- Accuracy: 200 g
- Platform Dimensions: 42 \* 70 cm
- Column Height: 50 cm
- Device Weight: 55 kg

### Features :

- Operating Temperature Range: -10°C to 40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Suitable for use in poultry farms, livestock farms, and related industries
- Scale Cover: Durable oven-baked coating
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-Integrated Display, Weighing Calculator Display
- Wireless Secondary Display
- Option to Add Serial Port for Computer Connectivity



# Wheelbarrow Weighbridge

## Four-Wheel Wheelbarrow Scale | (601)EMAWB



### Product Specifications :


- Maximum Capacity: 600 kg
- Minimum Capacity: 4 kg
- Accuracy: 200 g
- Weighing Platform Dimensions: 100 × 70 cm
- Column Height: 50 cm
- Device Weight: 110 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: Operates on 220V / 60Hz AC power and rechargeable battery
- Durable Finish: Heat-cured powder-coated scale body for enhanced resistance
- Easy Mobility: Designed for convenient transportation
- Dump Gate with Locking Mechanism: Equipped with a tip-up door and secure lock
- Warranty: 18-month warranty
- After-Sales Service: Lifetime support and service

### Capabilities :

- Built-in printer display, Calculator-enabled display
- Wireless secondary display
- Optional serial port for computer connectivity



# Wheelbarrow Weighbridge

## Adjustable Wheelbarrow Scale | (601)EMAWBA

### Product Specifications :

- Maximum Capacity: 600 kg
- Minimum Capacity: 4 kg
- Accuracy: 200 g
- Weighing Platform Dimensions: 100 × 77 cm
- Column Height: 60 cm
- Device Weight: 120 kg
- Adjustable Height Range: Up to 7 cm

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: Operates on 220V / 60Hz mains electricity and rechargeable battery
- Durable Coating: Heat-cured powder-coated body for enhanced resistance
- Easy Transportation: Designed for convenient mobility
- Tip-Over Door with Locking Mechanism: Equipped with a dump-style door and secure locking
- Warranty: 18-month warranty
- After-Sales Service: Lifetime customer support



### Capabilities :

- Built-in printer display, Calculator-equipped indicator
- Wireless secondary display
- Optional serial port for computer connectivity
- Adjustable incline with 3-level tilt settings





# Medical Weighbridge

## Height and Weight Scale | EHWH



### Product Specifications :


- Maximum Capacity: 200 kg
- Minimum Capacity: 2 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 42 × 42 cm
- Column Height: 120 cm
- Device Weight: 23 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: Operates on 220V / 60Hz AC power and rechargeable battery
- Application: Designed for weighing individuals in gyms, clinics, and healthcare centers
- Structure Coating: Durable powder-coated finish
- Warranty: 18-month warranty
- After-Sales Service: Lifetime support
- Height Measurement Range: 140 to 220 cm

### Capabilities:

- Equipped with Printer Display, Calculator Function Display
- Wireless Secondary Display
- Optional Serial Port for PC Connectivity
- Display Protection Box Installation Available
- Can Be Wall-Mounted with Bracket



# Medical Weighbridge

## Gym Scale | EHGym

### Product Specifications :

- Maximum Weight: 200 kg
- Minimum Weight: 2 kg
- Accuracy: 100 g
- Platform Dimensions: 42 \* 42 cm
- Column Height: 90 cm
- Device Weight: 25 kg

### Features:

- Operating Temperature: From -10°C to 40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Application: Designed for weighing individuals in gyms, clinics, and health centers
- Scale Coating: Durable powder-coated finish
- Warranty: 18-month warranty
- After-Sales Service: Lifetime after-sales support

### Capabilities:

- Equipped with a printer-integrated display, Calculator-function display
- Wireless secondary display
- Optional RS232 serial port for computer connectivity
- Display protection box mountable for enhanced durability



# Medical Weighbridge

## Wheelchair Scale | EHWHW



### Product Specifications :


- Maximum Capacity: 200 kg
- Minimum Capacity: 2 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 42 × 42 cm
- Column Height: 90 cm
- Device Weight: 27 kg

### Features :

- Operating Temperature Range: -10°C to +40°C
- Power Supply: 220V / 60Hz mains power and rechargeable battery
- Height Measurement Range: 140 cm to 220 cm
- Scale Coating: Durable powder-coated finish
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Printer-equipped display, Calculator-integrated display
- Wireless secondary display
- Optional serial port for PC connectivity
- Optional protective enclosure for the display



# Medical Weighbridge

## Baby Weighing Scale | EHBB

### Product Specifications :


- Maximum Capacity: 35 kg
- Minimum Capacity: 100 g
- Accuracy: 5 g
- Weighing Platform Dimensions: 50 × 25 cm
- Device Weight: 13 kg

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: Operates on 220V / 60Hz AC power and rechargeable battery
- Application: Designed for infant weighing in healthcare centers and hospitals
- Coating: Durable powder-coated body for enhanced resistance
- Warranty: 18-month warranty
- After-Sales Service: Lifetime support

### Capabilities :

- Equipped with a built-in printer display, Calculator-enabled display
- Wireless secondary display
- Optional RS-232 serial port for computer connectivity





# Medical Weighbridge

## Wheelchair Chair Scale | EHCHW



### Product Specifications :


- Maximum Weight Capacity: 200 kg
- Minimum Weight: 1 kg
- Accuracy: 50 grams
- Device Weight: 20 kg

### Features :

- Operating Temperature: From -10°C to +40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Purpose: Designed for weighing disabled or people with limited mobility, suitable for use in health-care and medical centers
- Coating: Durable oven-baked paint
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Equipped with a built-in printer display, Calculator-enabled display
- Wireless secondary display
- Optional RS-232 serial port for computer connectivity



# Medical Weighbridge

## Wheelchair Ramp Scale | EHRMP

### Product Specifications :


- Maximum Capacity: 200 kg
- Minimum Capacity: 4 kg
- Accuracy: 100 g
- Weighing Platform Dimensions: 100 × 74 cm
- Column Height: 80 cm
- Device Weight: 48 kg

### Features :

- Operating Temperature Range: -10°C to +40°C
- Power Supply: Operates on 220V / 60Hz electricity and rechargeable battery
- Functionality: Suitable for physiotherapy use and wheelchair weighing
- Scale Coating: Durable powder-coated finish
- Application: Designed for use in rehabilitation centers
- Warranty: 18-month warranty
- After-Sales Service: Lifetime support

### Capabilities :

- Integrated printer display, Calculator-equipped indicator
- Wireless secondary display
- Optional RS-232 serial port for PC connectivity
- Capability to install a protective display enclosure



# Medical Weighbridge

## Pediatric Weighing Table Scale



### Product Specifications :


- Maximum Capacity: 35 kg
- Minimum Capacity: 1 kg
- Accuracy: 50 g
- Weighing Platform Dimensions: 45 × 95 cm
- Device Weight: 33 kg
- Height: 100 cm

### Features :

- Operating Temperature: -10°C to +40°C
- Power Supply: Operates on 220V / 60Hz electricity and rechargeable battery
- Height Measurement Capability: Up to 90 cm
- Scale Coating: Durable powder-coated finish
- Warranty: 18-month warranty
- After-Sales Service: Lifetime support

### Capabilities :

- Calculator-Integrated Display
- Wireless Secondary Display
- Optional Serial Port for PC Connectivity
- Wall-Mountable Display Unit



## Special Weighbridge

### Bluetooth-Enabled 350kg Scale | EMIWL+ET

All Niko Scales Are Bluetooth-Upgradeable  
Technical Specifications:

- Bluetooth Module Compatible – All Niko scales can be upgraded to Bluetooth functionality
- Printer-Integrated Display
- Memory Functionality
- Scale Weight: 42 kg
- Maximum Capacity: 350 kg
- Minimum Capacity: 1 kg
- Accuracy: 50 g

#### Features :

- Printer-Integrated Display, Calculator Display
- Wireless Secondary Display
- Optional Wi-Fi Installation
- Optional Serial Port for PC Connectivity
- Optional Protective Display Box Installation



# Special Weighbridge


## Veterinary Scale | EAPet

Veterinary Examination Table with Weighing Function and

- Stainless Steel Surface
- Fully rust-resistant
- Suitable for use with various animals
- Washable and disinfectable
- Dimensions: 1 meter x 60 cm
- Device weight: 91 kg

### Features:

- Printer-integrated Display, Calculator Display
- Wireless Secondary Display
- Optional Serial Port for Computer Connectivity
- Option to Install Protective Display Box





## Special Weighbridge

### Weighing Jack Pallet | EMIJP

#### Product Specifications :

- Four load cells with a capacity of 2500 kg
- Accuracy: 500 grams
- Device weight: 120 kg
- Width: 68-55 cm
- Minimum height: 9 cm
- Maximum height: 17 cm
- Fork distance: 25 cm
- Minimum weight: 10 kg

#### Features :

- Operating temperature: from -10°C to 40°C
- Operates with 220V / 60Hz power and rechargeable battery
- Durable powder-coated scale cover
- 18-month warranty
- Lifetime after-sales service

#### Capabilities :

- Printer display, calculator display
- Wireless second display
- Ability to add a serial port for computer connection



# Special Weighbridge

## Check Weigher | EMICW



### Product Specifications :


- Capacity: 30 kg
- Accuracy: 1 g, 2 g, 5 g, 10 g
- Dimensions: 40 \* 30 cm
- Weight of Device: 40 kg
- High and Low Weight Limit Notification

### Features :

- Operating Temperature: From -10°C to 40°C
- Power Supply: 220V / 60Hz with rechargeable battery
- Scale Coating: Durable oven-baked paint
- Warranty: 18 months
- After-Sales Service: Lifetime support

### Capabilities :

- Piece Counting Function: Ability to count pieces
- Memory Functions: High limit, ideal limit, and low limit settings
- Wireless Display: Option to install a wireless display on the scale
- Wireless Printer Display: Option to install a wireless printer display on the scale
- Status Warning Light: Equipped with a status indicator light
- Adjustable Work Table: Includes a work table with height adjustment capability



## Special Weighbridge

### Roller Scale | EMIRoL

- The roller scale is manufactured according to the customer's requested dimensions.
- Available platform sizes include:
  - 75 \* 85 cm
  - 70 \* 70 cm
  - 100 \* 100 cm
  - 55 \* 55 cm
- For all sizes, the accuracy and capacity can be custom-built according to the customer's specifications.



# Special Weighbridge

## Poultry Weighing Scale | EMABS



### Product Specifications :


- Maximum weight: 35 kg
- Minimum weight: 20 g
- Accuracy: 1 g
- Weighing platform dimensions: 50 \* 70 cm
- Column height: 120 cm
- Device weight: 17 kg

### Features :

- Operating temperature range: -10°C to 40°C
- Operates on 220V / 60Hz electricity and rechargeable battery
- Weighing scale covered with durable powder-coated paint
- 18-month warranty
- Lifetime after-sales service

### Features :

- Calculator display
- Wireless second display
- Option to add serial port for computer connection
- Ability to send daily average SMS



## Capabilities



S100



A12LED



Small scoreboard



TSM50



S300P



T1LCD




A15LCD





## Table of products

Machine weight (kg)							
Based	Wheeled	Accuracy (gr)	Height (cm)	Capacity (kg)	Model	Model	Row
32	37	60	50	150	150 kg Scale	(101)EMIT-(101)EMIR	1
42	47	70	50	250	250 kg Scale	(201)EMIT-(201)EMIR	2
49	55	80	50	350	350 kg Scale	(301)EMIT-(301)EMIR	3
65	80	80	100	550	550 kg Scale	(501)EMIT-(501)EMIR	4
74	97	75	100	750	750 kg Scale	(701)EMIT-(701)EMIR	5
20		45	2-5	70	70 kg All Stainless Steel Scale	(70)ESSIT	6
27	32	80	50	300	300 kg Stainless Steel Platform Scale	(301)ESHIT-(301)ESHIR	7
49	54	95	100	500	500 kg Stainless Steel Platform Scale	(501)ESHIT-(501)ESHIR	8
13	18	47	50	150	100 kg All Stainless Steel Scale	(101)ESSIT-(101)ESSIR	9
14	19	47	50	300	300 kg All Stainless Steel Scale	(301)ESSIT-(301)ESSIR	10
57	71	75	100	500	500 kg All Stainless Steel Scale	(501)ESSIT-(501)ESSIR	11
55		95	200-500	3000-5000	All Stainless Steel Platform Scale	(3001)ESSP4L+ET	12
185		75	200	1600	1600 kg Field Scale	(1001)EMFR-S	13
		75	200	1600	1600 kg Field Scale	(1001)EMFR-M	14
245		75	200	2500	2500 kg Field Scale	(2001)EMFR4L	15
261		75	500	3500	3500 kg Field Scale	(3001)EMFR4L	16
		120	200	1600	1600 kg Platform Scale	(1001)EMPT+ET	17
		120	200-500	3000	3000 kg Platform Scale	(3001)EMP4L+ET	18
		120	200-500	3000-5000	3000 kg Platform Scale	(3001)EMP4L+ET	19
118		120	500	5000	5-ton Platform Scale	(5001)EMP4L+ET	20
420		120	2000	10000	10-ton Platform Scale	(10001)EMP4L+ET	21



## Table of products

Machine weight (kg)		Accuracy (gr)	Height (cm)	Capacity (kg)	Model	Model	Row
Based	Wheeled						
			200-500	3000-1600	3-ton Scale	EMACT4L	22
96	119	75	200	750	750 kg Scale	(701)EMACTR-(701)EMACT	23
67		80	100	350	350 kg Scale	EMACT	24
200		120	200	1600	Carcass Scale	(1001)EMAR	25
		90	200	600	Wheelbarrow Scale for Livestock	EMAC+WB	26
55		50	200	400	Single-wheel Wheelbarrow Scale	(401)EMAWB	27
110		50	200	600	Four-wheel Wheelbarrow Scale	(601)EMAWB	28
120		60	200	600	Adjustable Wheelbarrow Scale	(601)EMAWB	29
23		120	100	200	Height and Weight Scale	EHWH	30
25		90	100	200	Gym Scale	EHGYM	31
27		90	100	200	Veterinary Scale	EHWHW	32
13			5	35	Baby Scale	EHBB	33
20			50	200	Wheelchair Seat Scale	EHCHW	34
48	80	100	200		Wheelchair Ramp Scale	EHRMP	35
33	100	50	35		Baby Examination Table Scale		36
42		50	350		350 Bluetooth Scale	EMIWL+ET	37
91	9-17				Veterinary Examination Table Scale	EAPet	38
120		500	2500		Pallet Jack Scale	EMIJP	39
40		1-2-5-10	30		Check Weigher	EMICW	40
					Roller Scale	EMIRoL	41
17	120	1	35		Poultry Weighing Scale	EMABS	42





## CUSTOMER FAVORITES



الصاعد العالمية للتجارة  
AL SAED GLOBAL TRADING

**AL SAED GLOBAL TRADING**

**+968 77226360-94927420-99467773**

**No.11693, Mabaila industrial zone, Muscat, Oman / [bm.alsaedco@gmail.com](mailto:bm.alsaedco@gmail.com)**

**No. 11, 4th North Street, Golgun Industrial Zone, Shahriar Three-Way Junction, Before  
Saeedabad, Km 12, Old Tehran-Karaj Road, Tehran, Iran**

**(+98)21-65612636**



**[www.baskoolnikoo.com](http://www.baskoolnikoo.com)**

**(+98)21-65612535**